



DIRECTIONS FOR USE:

For best results, apply at the rate of 2 - 4oz. (1/4 – 1/2 cup) per square yard evenly over surface areas to be treated. If applying after a large accumulation, it is best to plow or shovel first, then apply the ice melt product. This product may be applied prior to or during accumulation. Remove slush and water to prevent penetration of porous areas and cracks in the concrete, as continual thawing and freezing action can cause damage to poor quality concrete. To avoid potential damage to vegetation, keep product away from vegetation and do not over apply. Variable weather conditions such as temperature, depth of snow, wetness of snow, and ice content, may vary the recommended application amount.

All Package Sizes

PRECAUTION: CONCRETE AND OTHER SURFACES

XCALIBUR™ when used as directed will not cause harm to properly mixed (air-entrained concrete), poured, finished and cured concrete as specified by the Portland Cement Association. The severity of weather, the age, quality and curing of concrete can all increase the potential for surface damage. Avoid use of this or any ice melt product on brick, masonry, stone, unsealed asphalt, precast concrete, concrete with exposed aggregate and concrete less than one year old. If unsure of the quality of surface, consult a concrete professional. XCALIBUR™ will not chemically attack concrete, but natural freeze/thaw cycles, and freeze/thaw cycles caused by the use of a deicing material, can cause damage to poor quality concrete. The potential for surface damage can be decreased by sealing surfaces prior to the use of a deicing material and by the removal of all water and slush resulting from the deicing process. Damage to vegetation and lawns may occur from the use of all deicing materials when applied directly on or very close to the vegetation. Vegetation damage is more likely when deicing products are over-applied. To avoid over application, correct application rates should be used when using this or any other ice melting material.

WARNING - CAUSES EYE IRRITATION

KEEP OUT OF REACH OF CHILDREN

HARMFUL IF SWALLOWED

NOT FOR FOOD OR DRUG USE

Avoid contact with eyes, skin, open wounds and clothing. Do not inhale or take internally. Wash hands thoroughly after each use. For eye contact, flush with water for 15 minutes. For skin contact, remove contaminated clothing and wash affected areas thoroughly with water. If swallowed, give water or milk, induce vomiting and call physician. Never give anything by mouth to an unconscious person.

LIMITED WARRANTY

Manufacture warrants XCALIBUR™ will perform to your total satisfaction when used as directed under normal use conditions. It is the user's responsibility to dispose of this package and any unused product in accordance with all applicable local, state and federal requirements. The remedy described herein shall be our sole and exclusive remedy. Under no circumstance shall manufacturer or seller be liable for any cost, loss, expenses, damages, special damages arising directly or indirectly, from the use of XCALIBUR™, whether based upon warranty, contract, negligence, or strict liability. Buyer assumes all responsibility for use and safety not in accordance with directions. Because the time, place, rate of application and other conditions of use are beyond seller's control, seller makes no warranty, express or implied, concerning the use, effects or results from the use, handling and storage of this product. XCALIBUR™ is sold "as is". This limited warranty is made expressly in lieu of all other warranties, expressed or implied.

PACKAGED AND DISTRIBUTED BY

MEARS
Fertilizer, Inc.

A Material Safety Data Sheet on this product can be found at:
www.mearsinc.com.

P.O. Box 1271
El Dorado, KS 67042

www.mearsinc.com

Components	CAS Number
Potassium Chloride	007447-40-7
Sodium Chloride	007647-14-5
Calcium Chloride	010043-52-4

XCALIBUR is a trademark of Mears Fertilizer, Inc.

All trademark rights reserved.

Item No.: SAMPLE LABEL